Requirement Type	Meaning	Count	Percent
Requirement met.	Supported in SecNet 4.2.x	81	45
Misleading requirement.	Testing may yield inconclusive results even though SecNet operates correctly.	17	9
Empty.	Requirement missing.	2	1
Feature Not Supported.	Requirement refers to a feature not implemented in SecNet 4.2.x	35	19
Incomplete.	Additional information is required to make requirement testable.	24	13
Not supported in version 4.2.x	Not supported in version 4.2.x	23	13
total		182	100

Classification	Meaning	Count	Percent
OK	Requirement Supported	81	45
NS	Requirement Not supported	63	35
IN	Requirement Incorrect, Incomplete, or Misleading	38	21
total		182	100

ID	Requirement	Description	Severity	GSS Type	GSS Response	GSS Comment	GSS Classification
Platform Requirements							
PL01	The product will work on the Windows 98 platform to include SE/ME (ME covers Windows 98 Service Pack 1	GSS software must run on a PC loaded with Windows 98	C	Requirement met.			OK
PL02	The product will work on the Windows NT platform with SP5	GSS software must run on a PC loaded with Windows NT, Service Pack 5	C	Feature Not Supported.	The operating system requirements of SecNet do not include Windows NT.		NS
PL03	The product will work on the Windows 2000 platform with SP2	GSS software must run on a PC loaded with Windows 2000, Service Pack 2	C	Requirement met.			OK
PL04	The product will work on the Windows XP platform with SP1	GSS software must run on a PC loaded with Windows XP,	C	Requirement met.			OK
Install Requirements							
IN01	The product must install via an executable file	GSS software must install via a setup program	C	Requirement met.			OK
IN02	The product must create a Desktop shortcut	The GSS install program must create a Desktop shortcut	I	Requirement met.			OK
IN03	The product must create a program group	The GSS install program must create a program group	C	Requirement met.			OK
IN04	Web browsing functionality will continue to work once the product has been installed	The GSS software will not impact previous functionality	C	Requirement met.			OK
IN05	Email functionality will continue to work once the product has been installed	The GSS software will not impact previous functionality	C	Requirement met.			OK
Uninstall Requirements							
UN01	The product must uninstall via an uninstall utility	GSS software must uninstall via an uninstall option	C	Misleading requirement.	The SecNet software uninstalls trough Add/Remove Program, accordingly to specifications given by Microsoft for software installed on there OS.		NS
UN02	The product must remove all traces of the SecNet software from the users system once the uninstall feature is run	GSS must be completely removed from the system when the uninstall option is selected.	C	Incomplete.	The Programs leaves behind the data/configuration files under application data (user specific and all user) accordingly to Microsoft specifications.		IN
UN03	Web browsing functionality will continue to work once the product has been removed	The removal of GSS software will not impact previous functionality	C	Requirement met.			OK
UN04	Email functionality will continue to work once the product has been installed	The removal of GSS software will not impact previous functionality	C	Requirement met.		Assuming that the mention of install is instead uninstall.	OK
Product Requirements							
PR01	The product will notify the user if previous firewall software is detected.	GSS software must prompt the user if previous firewall software is installed	I	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR02	The product will notify the user if previous anti-virus software is detected.	GSS software must prompt the user if previous anti-virus software is installed	I	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR03	The product will notify the user if previous anti-spyware software is detected.	GSS software must prompt the user if previous anti-spyware software is installed	I	Misleading requirement.	The Anti-Spyware tool is only part of SecNet 5.0.		NS
PR04	The product will notify the user if previous pop-up blocking software is detected.	GSS software must prompt the user if previous pop-up blocking software is installed	I	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR05	The product will notify the user if previous parental control software is detected.	GSS software must prompt the user if previous parental control software is installed	I	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR06	The product will notify the user if previous privacy manager software is detected.	GSS software must prompt the user if previous privacy manager software is installed	I	Misleading requirement.	The Privacy Manager tool is only part of SecNet 5.0.		NS
PR07	The product will support the operation of Internet Explorer version 5.0.1 SP2 or later.	GSS software must work with Internet Explorer 5.0.1 SP2 or later.	C	Requirement met.			OK
PR08	The product will support the operation of Netscape version 4.7.2 or later.	GSS software must work with Netscape 4.7.2 or later.	C	Incomplete.	Some of the tools in SecNet are IE specific or partly IE specific. Some functionality will be missing in Netscape as specified.		IN
PR09	The product will support the operation of Mozilla version 1.6 or later.	GSS software must work with Mozilla 1.6 or later.	NC	Incomplete.	Some of the tools in SecNet are IE specific or partly IE specific. Some functionality will be missing in Mozilla.		IN
PR10	The product will support the operation of Opera version 5.x or later.	GSS software must work with Opera 5.x or later.	I	Incomplete.	Some of the tools in SecNet are IE specific or partly IE specific. Some functionality will be missing in Opera as specified.		IN
PR11	The product will support the operation of the MSN Instant Messanging client version 5.x or later	GSS software must work with MSN Instant Messanging 5.x or later.	C	Incomplete.	SecNet will co-exist with the application however SecNet will not interfere with the application (ex. SecNet will not block ads displayed in the application.)		IN
PR12	The product will support the operation of the AOL Instant Messanging client version 5.x or later	GSS software must work with AOL Instant Messanging 5.x or later.	C	Incomplete.	SecNet will co-exist with the application however SecNet will not interfere with the application (ex. SecNet will not block ads displayed in the application.)		IN
PR13	The product will support the operation of the Yahoo Instant Messanging client version 5.x	GSS software must work with Yahoo Instant Messanging 5.x or later.	C	Incomplete.	SecNet will co-exist with the application however SecNet will not interfere with the application (ex. SecNet will not block ads displayed in the application.)		IN
PR14	The product will support the operation of the mIRC Instant Messanging client version 4.x or later	GSS software must work with mIRC Instant Messanging 4.x or later.	C	Requirement met.			OK
PR15	The product will support the operation of the Kazaa P2P client version 2.x or later	GSS software must work with Kazaa P2P client 2.x or later.	C	Incomplete.	SecNet will co-exist with the application however SecNet will not interfere with the application (ex. SecNet will not block ads displayed in the application.)		IN
PR16	The product will support the operation of the iMesh P2P client version 4.x or later	GSS software must work with iMesh P2P client 4.x or later.	C	Incomplete.	SecNet will co-exist with the application however SecNet will not interfere with the application (ex. SecNet will not block ads displayed in the application.)		IN
PR17	The product will support the operation of the BitTorrent P2P client version 3.x or later	GSS software must work with BitTorrent P2P client 3.x or later.	C	Incomplete.	SecNet will co-exist with the application however SecNet will not interfere with the application (ex. SecNet will not block ads displayed in the application.)		IN
PR18	The product will support the operation of the Morpheus P2P client version 4.x or later		C	Incomplete.	SecNet will co-exist with the application however SecNet will not interfere with the application (ex. SecNet will not block ads displayed in the application.)		IN
PR19	The product will notify the user if Norton firewall version 5.x is installed	GSS software must notify the user if Norton Firewall 5.x or later is installed	C	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS

PR20	The product will notify the user if McAfee firewall is installed	GSS software must notify the user if McAfee Firewall is installed and running on the users machine.	C	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR21	The product will notify the user if Zone Labs firewall version 4.x is installed	GSS software must notify the user if Zone Labs Firewall 4.x or later is installed and running on the users machine.	C	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR22	The product will notify the user if BlackIce firewall version 3.x is installed	GSS software must notify the user if BlackIce Firewall 3.x or later is installed and running on the users machine.	C	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR23	The product will notify the user if Norton Anti-Virus version 2003 is installed	GSS software must notify the user if Norton Anti-Virus 2003 or later is installed and running on the users machine.	C	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR24	The product will notify the user if McAfee Anti-Virus version 2003 is installed	GSS software must notify the user if McAfee 2003 or later is installed and running on the users machine.	C	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR25	The product will notify the user if Panda Anti-Virus version 3.x is installed	GSS software must notify the user if Panda Anti-Virus 3.x or later is installed and running on the users machine.	C	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR26	The product will notify the user if AVG Anti-Virus version 6.x is installed	GSS software must notify the user if AVG Anti-Virus 6.x or later is installed and running on the users machine.	C	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR27	The product will notify the user if AdAware Anti-spyware version 5.x is installed	GSS software must notify the user if AdAware Anti-spyware 5.x or later is installed and running on the users machine.	I	Misleading requirement.	The Anti-Spyware tool is only part of SecNet 5.0.		NS
PR28	The product will notify the user if SpyBot Anti-spyware version 1.x is installed	GSS software must notify the user if SpyBot Anti-spyware 1.x or later is installed and running on the users machine.	I	Misleading requirement.	The Anti-Spyware tool is only part of SecNet 5.0.		NS
PR29	The product will notify the user if Popup Defender version 6.x is installed	GSS software must notify the user if Popup Defender 6.x or later is installed and running on the users machine.	I	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR30	The product will notify the user if Popup Blocker Pro version 4.x is installed	GSS software must notify the user if Popup Blocker Pro 4.x or later is installed and running on the users machine.	I	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR31	The product will notify the user if Net Nanny version 5.x is installed	GSS software must notify the user if Net Nanny 5.x or later is installed and running on the users machine.	I	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR32	The product will notify the user if Cyber Patrol version 6.x is installed	GSS software must notify the user if Cyber Patrol 6.x or later is installed and running on the users machine.	I	Feature Not Supported.	There is no such functionality implemented into SecNet at this point in time.		NS
PR33	The product will support the operation of previously installed parental control software	The GSS software will not impact previous functionality of parental control software.	C	Requirement met.			OK
PR34	The product will support the operation of previously installed download optimizer software	The GSS software will not impact previous functionality of download optimizer software.	C	Incomplete.	The installation of any Firewall and/or Anti-Virus with real time scan will slightly impact the performance of downloads.		IN
PR35	The product will support the operation of the third party provider AOL	The GSS software will not impact previous functionality of third party provider AOL	C	Requirement met.			OK
PR36	The product will support the operation of the third party provider NetZero	The GSS software will not impact previous functionality of third party provider NetZero	C	Requirement met.			OK
PR37	The product will support the operation of the third party provider MSN	The GSS software will not impact previous functionality of third party provider MSN	C	Requirement met.			OK
PR38	The product will support the operation of the third party provider Earthlink	The GSS software will not impact previous functionality of third party provider Earthlink	C	Requirement met.			OK
PR39	The product will support the operation of previously installed privacy manager software	The GSS software will not impact previous functionality of privacy manager software.	C	Requirement met.			OK
PR40	The product will support the operation of Norton Anti-Virus software version 2003 or later	The GSS software will not impact previous functionality of Norton Anti-Virus software	C	Feature Not Supported.	The SecNet software explicitly asks the user to remove any other Anti-Virus from the machine upon activation of the SecNet Anti-Virus.		NS
PR41	The product will support the operation of McAfee Anti-Virus software version 2003 or later	The GSS software will not impact previous functionality of McAfee Anti-Virus software	C	Feature Not Supported.	The SecNet software explicitly asks the user to remove any other Anti-Virus from the machine upon activation of the SecNet Anti-Virus.		NS
PR42	The product will support the operation of Panda Anti-Virus software version 3.x or later	The GSS software will not impact previous functionality of Panda Anti-Virus software	C	Feature Not Supported.	The SecNet software explicitly asks the user to remove any other Anti-Virus from the machine upon activation of the SecNet Anti-Virus.		NS
PR43	The product will support the operation of AVG Anti-Virus software version 6.x or later	The GSS software will not impact previous functionality of AVG Anti-Virus software	C	Feature Not Supported.	The SecNet software explicitly asks the user to remove any other Anti-Virus from the machine upon activation of the SecNet Anti-Virus.		NS
PR44	The product will support the operation of Norton Firewall software version 5.x or later	The GSS software will not impact previous functionality of Norton Firewall software	C	Feature Not Supported.	GSS recommends any user using SecNet to remove or disable any other Firewall installed onto there system.		NS
PR45	The product will support the operation of McAfee Firewall software	The GSS software will not impact previous functionality of McAfee firewall	C	Feature Not Supported.	GSS recommends any user using SecNet to remove or disable any other Firewall installed onto there system.		NS
PR46	The product will support the operation of Zone Labs Firewall software version 4.x or later	The GSS software will not impact previous functionality of Zone Labs firewall software	C	Feature Not Supported.	GSS recommends any user using SecNet to remove or disable any other Firewall installed onto there system.		NS
PR47	The product will support the operation of Black Ice firewall software version 3.x or later	The GSS software will not impact previous functionality of Black Ice firewall software	C	Feature Not Supported.	GSS recommends any user using SecNet to remove or disable any other Firewall installed onto there system.		NS
PR48	The product will place a icon in the system tray when started.	The GSS software will place an icon in the system tray when the application is launched.	I	Requirement met.			OK
PR49	The product will minimize to the system tray when closed from the Desktop.	The GSS software will minimize back to the system tray when the application is closed from the Desktop.	I	Requirement met.			OK
PR50	The product will operate without an internet connection.	The GSS software will launch without having an internet connection	C	Incomplete.	SecNet will start and operate without an internet connection however content can not be updated and tools can not be activated.	Statement could be clarified	OK

PR51	The product will support the operation of the Outlook Express mail client version 4.x or later	The GSS software will work with Outlook Express 4.x and later	C	Requirement met.			OK
PR52	The product will support the operation of the Netscape Messenger mail client version 4.x or later	The GSS software will work with Netscape Messenger 4.x and later	C	Requirement met.			OK
PR53	The product will support the operation of the Outlook mail client version 98 or later	The GSS software will work with Outlook 98 and later	C	Requirement met.			OK
PR54	The product will support the operation of the Eudora mail client version 3.x or later	The GSS software will work with Eudora 3.x and later	C	Requirement met.			OK
PR55	The product will support the operation of a web mail client	The GSS software will allow the user to access their web mail account e.g. Hotmail, Lepton, Yahoo etc.	C	Requirement met.			OK
PR56	The product will support the operation of the Trillian Instant Messaging client	GSS software must work with Trillian Instant Messaging.	C	Incomplete.	SecNet will co-exist with the application however SecNet will not interfere with the application (ex. SecNet will not block ads displayed in the application.)		IN
PR57	The product will support the operation of previously installed firewall software	The GSS software will not impact previous functionality of firewall software.	C	Misleading requirement.	GSS recommends any user using SecNet to remove or disable any other Firewall installed onto there system.		NS
PR58	The product will support the operation of previously installed Antivirus software.	The GSS software will not impact previous functionality of Antivirus software	C	Misleading requirement.	The SecNet software explicitly asks the user to remove any other Anti-Virus from the machine upon activation of the SecNet Anti-Virus.		NS

Anti-Virus Requirements

AV01	The anti virus product must detect all virus threats.	The GSS anti-virus software will detect all virus threats to the users machine.	C	Feature Not Supported.	An Anti Virus software can only properly protect against threats it knows about. If the definition file is not up to date with the specific information about the threat no Anti Virus can guarantee the protection. (The virus being too recent or the user not updating the definition file.)		IN
AV02	The anti virus product must remove all viruses found.	The GSS anti-virus software will remove all virus threats from the users machine.	C	Feature Not Supported.	An Anti Virus software can not remove all threats from a users machine. Some virus infections can only be removed trough specific tools. Some files can not be disinfected after being infected by a virus and must be deleted instead.		IN
AV03	The anti virus product must support system wide scans.	The GSS anti-virus software will have the ability to scan the user's entire machine.	C	Requirement met.			OK
AV04	The anti virus product must automatically check for updates every three hours.	The GSS anti-virus software will automatically check for updates	C	Requirement met.		or more frequent	OK
AV05	The anti virus product must provide a detailed report once the scan is complete.	The GSS anti-virus software will provide the user with a detailed report once the scan completes.	C	Requirement met.			OK
AV06	The anti virus product must support scheduling.	The GSS anti-virus software must allow the user to schedule regular scans.	C	Not supported in version 4.2.x	The functionality in only present in version 5 and above.		NS
AV07	The anti virus product must support incoming anti virus scanning for the Netscape Messenger mail client	The GSS anti-virus software must scan incoming email messages in the Netscape Messenger mail client version 4.x and later.	C	Not supported in version 4.2.x	The functionality in only present in version 5 and above.		NS
AV08	The anti virus product must support incoming anti virus scanning for the Outlook Express mail client	The GSS anti-virus software must scan incoming email messages in the Outlook Express mail client version 4.x and later.	C	Not supported in version 4.2.x	The functionality in only present in version 5 and above.		NS
AV09	The anti virus product must support incoming anti virus scanning for the Outlook mail client	The GSS anti-virus software must scan incoming email messages in the Outlook mail client version 98 and later.	C	Not supported in version 4.2.x	The functionality in only present in version 5 and above.		NS
AV10	The anti virus product must support incoming anti virus scanning for the Eudora mail client	The GSS anti-virus software must scan incoming email messages in the Eudora mail client version 3.x and later.	C	Not supported in version 4.2.x	The functionality in only present in version 5 and above.		NS
AV11	The anti virus product must support outgoing anti virus scanning for the Netscape Messenger mail client	The GSS anti-virus software must scan outgoing email messages in the Netscape Messenger mail client version 4.x and later.	C	Feature Not Supported.	SecNet is not scanning outgoing e-mails at this point in time.		NS
AV12	The anti virus product must support outgoing anti virus scanning for the Outlook Express mail client	The GSS anti-virus software must scan outgoing email messages in the Outlook Express mail client version 4.x and later.	C	Feature Not Supported.	SecNet is not scanning outgoing e-mails at this point in time.		NS
AV13	The anti virus product must support outgoing anti virus scanning for the Outlook mail client	The GSS anti-virus software must scan outgoing email messages in the Outlook mail client version 98 and later.	C	Feature Not Supported.	SecNet is not scanning outgoing e-mails at this point in time.		NS
AV14	The anti virus product must support outgoing anti virus scanning for the Eudora mail client	The GSS anti-virus software must scan outgoing email messages in the Eudora mail client version 3.x and later.	C	Feature Not Supported.	SecNet is not scanning outgoing e-mails at this point in time.		NS
AV15	The anti virus product must support the scanning of compressed files	The GSS anti-virus software must support the scanning of compressed files.	C	Requirement met.	Note: A compressed file can only be scanned if it's not encrypted (password protected).		OK
AV16	The anti virus product must support the scanning of instant message attachments	The GSS anti-virus software must support the scanning of instant message attachments.	C	Feature Not Supported.	SecNet is not supporting the scanning of instant message attachments at this time.		NS
AV17	The anti virus product must display the date and time of the last update	The GSS anti-virus software must display the date and time the product automatically updated.	C	Requirement met.			OK
AV18	The anti virus product must display the date and time of the last scan	The GSS anti-virus software must display the date and time the product performed it's last scan.	C	Requirement met.			OK
AV19	The anti virus product must support the scanning of individual files.	The GSS anti-virus software must support the scanning of individual files defined by the user.	C	Not supported in version 4.2.x	The functionality in only present in version 5 and above.		NS
AV20	The anti virus product must support the scanning of email attachments	The GSS anti-virus software must support the scanning of email attachments.	C	Not supported in version 4.2.x	The functionality in only present in version 5 and above.		NS

AV21	The anti virus product must allow the user to view the results of the last scan	The GSS anti-virus software must allow the user to view a report of the last scan performed.	C	Requirement met.		OK
AV22	The anti virus product must support the scanning of read only files	The GSS anti-virus software must support the scanning of read only files	C	Requirement met.		OK
AV23	The anti virus product must support the scanning of hidden files	The GSS anti-virus software must support the scanning of hidden files.	C	Requirement met.		OK
AV24	The user must be able to disable the anti-virus product	The GSS anti-virus software must allow the user to disable it.	C	Incomplete.	Only the real-time portion of the AV can be disabled. The manual scan will only function if the user explicitly starts it.	IN
AV25	The anti virus product must provide the user with options for what to do when a virus is found	The GSS anti-virus software must provide the user with options when a virus is detected.	C	Misleading requirement.	The Anti Virus will automatically take action when it detects an infected file.	IN
AV26	The anti virus product must allow the user to customize the update schedule	The GSS anti-virus software must provide the user with options to schedule automatic updates.	C	Requirement met.		OK
Firewall Requirements						
FW01	The firewall product must detect unauthorized connections to the users PC in real time	The GSS firewall software must detect unauthorized connections in real time.	C	Requirement met.		OK
FW02	The firewall product must warn users when programs are trying to send information	The GSS firewall software must notify the user when programs attempt to send information.	C	Incomplete.	This is configurable in the Firewall. If the always allow or always block option is selected for the given application the user will not be prompted to take action.	IN
FW03	The firewall product must produce a detailed report of all blocked intrusions	The GSS firewall software must provide the user with a log of blocked intrusions to their system.	C	Requirement met.		OK
FW04	The firewall product must support customizable features	The GSS firewall software must provide the user with options to customize their settings.	C	Requirement met.		OK
FW05	The firewall product must support automatic updates	The GSS firewall software must automatically update	C	Feature Not Supported.	The SecNet Firewall is not supporting this feature at this point in time.	NS
FW06	The user must be able to disable the firewall product	The GSS firewall software must allow the user to disable it.	C	Requirement met.		OK
FW07	The user must be able to allow a program to access the internet	The GSS firewall software must allow programs defined by the user to access the Internet	C	Requirement met.		OK
FW08	The user must be able to block a program from accessing the internet.	The GSS firewall software must block programs defined by the user from accessing the internet.	C	Requirement met.		OK
FW09	The user must be able to customize the firewall rule set.	The GSS firewall software must be user customizable.	C	Requirement met.		OK
Anti-Spyware Requirements						
AS01	The anti spyware product must detect spyware programs.	The GSS anti-spyware software must be detect spyware applications on the users machine.	C	Not supported in version 4.2.x	The Anti Spyware tool is only present in SecNet for version 5 and above.	NS
AS02	The anti spyware product must remove spyware programs from the users machine	The GSS anti-spyware software must be remove spyware applications from the users machine.	C	Not supported in version 4.2.x	The Anti Spyware tool is only present in SecNet for version 5 and above.	NS
AS03	The anti spyware product must detect in memory spyware programs in real time.	The GSS anti-spyware software must be detect in memory spyware applications on the users machine in real time.	C	Not supported in version 4.2.x	The Anti Spyware tool is only present in SecNet for version 5 and above.	NS
AS04	The anti spyware product must provide a detailed log on each piece of spyware found.	The GSS anti-spyware software must create a report displaying all spyware applications found on the users machine.	C	Not supported in version 4.2.x	The Anti Spyware tool is only present in SecNet for version 5 and above.	NS
AS05	The anti spyware product must provide detailed threat information on all spyware programs found on the users machine.	The GSS anti-spyware software must create a report displaying the relevant threat information for all spyware applications found on the user's machine.	C	Not supported in version 4.2.x	The Anti Spyware tool is only present in SecNet for version 5 and above.	NS
AS06	The anti spyware product must support scheduling.	The GSS anti-spyware software must allow the user to define an execution schedule.	C	Not supported in version 4.2.x	The Anti Spyware tool is only present in SecNet for version 5 and above.	NS
AS07	The anti spyware product must support automatic updates.	The GSS anti-spyware software must update the users machine automatically.	C	Not supported in version 4.2.x	The Anti Spyware tool is only present in SecNet for version 5 and above.	NS
Popup Blocker Requirements						
PB01	The pop-up blocker product must block pop-up ads.	The GSS pop-up blocker software must block pop-up ads from appearing on the user's machine.	C	Requirement met.		OK
PB02	The pop-up blocker product must block pop under ads.	The GSS pop-up blocker software must block pop under ads from appearing on the user's machine.	C	Requirement met.		OK
PB03	The pop-up blocker product must block banner ads.	The GSS pop-up blocker software must block banner ads from appearing on the user's machine.	C	Requirement met.		OK
PB04	The pop-up blocker product must block animated ads.	The GSS pop-up blocker software must block animated ads from appearing on the user's machine.	C	Requirement met.		OK
PB05	The pop-up blocker product must block tile ads.	The GSS pop-up blocker software must block tile ads from appearing on the users machine.	C	Requirement met.		OK
PB06	The pop-up blocker product must be user customizable.	The GSS pop-up blocker software must allow the user to customize features.	C	Requirement met.		OK
PB07	The user must be able to disable the pop-up blocker product.	The GSS pop-up blocker software must allow the user to disable it.	C	Requirement met.		OK
PB08	The user must be able to disable the Ad Blocker product.	The GSS ad blocker software must allow the user to disable it.	C	Requirement met.		OK

PB09	The pop-up blocker product must display user-defined pop-ups.	The GSS pop-up blocker software must display user defined pop-up ads.	C	Misleading requirement.	The displaying of Pop-ups can be enabled on a per domain bases, not specific to a single pop-up on a domain.	IN
PB10	The ad blocker product must display user-defined ads.	The GSS ad blocker software must display user-defined ads.	C	Misleading requirement.	The ads are blocked based on the ad server running them so the entry for the ad server has to be erased in order for the user to see the ad.	IN
PB11	The ad blocker product must support automatic updates.	The GSS ad blocker software must support automatic updates.	C	Requirement met.		OK

Privacy Manager Requirements

PM01	The privacy manager product must scan outgoing communications for embedded user information.	The GSS privacy manager software must scan outgoing communications for user information.	C	Not supported in version 4.2.x	The Privacy Manager tool is only present in SecNet for version 5 and above.	NS
PM02	The privacy manager product must stop user information from being sent without user consent.	The GSS privacy manager software must get user permission before sending user information	C	Not supported in version 4.2.x	The Privacy Manager tool is only present in SecNet for version 5 and above.	NS
PM03	The privacy manager product must allow for customization of cookie control.	The GSS privacy manager software must allow the user to customize cookies e.g., allow session only cookies but disable persistent cookies.	C	Not supported in version 4.2.x	The Privacy Manager tool is only present in SecNet for version 5 and above.	NS
PM04	The privacy manager product must remove browser history.	The GSS privacy manager software must allow the user to delete browser history	C	Not supported in version 4.2.x	The Privacy Manager tool is only present in SecNet for version 5 and above.	NS
PM05	The privacy manager product must remove browser cache.	The GSS privacy manager software must allow the user to delete browser cache.	C	Not supported in version 4.2.x	The Privacy Manager tool is only present in SecNet for version 5 and above.	NS
PM06	The privacy manager product must remove browser cookies.	The GSS privacy manager software must allow the user to delete browser cookies.	C	Not supported in version 4.2.x	The Privacy Manager tool is only present in SecNet for version 5 and above.	NS

Parental Control Requirements

PC01	The parental control product must control the type of content that can be accessed.	The GSS parental control software must allow the user to customize the type of content that can be accessed.	C	Requirement met.		OK
PC02	The parental control product must control specific sites that can be accessed.	The GSS parental control software must allow the user to customize the type url's that can be accessed.	C	Requirement met.		OK
PC03	The parental control product must block personal information from being sent while browsing.	The GSS parental control software must not allow user information to be broadcast while browsing.	C	Misleading requirement.	The function of the Parental Control is to block content and not make the users browsing private (anonymous).	IN
PC04	The parental control product must produce a detailed report of visited sites.	The GSS parental control software must log visited sites.	C	Misleading requirement.	The Parental Control will only report sites that where blocked not all sites that where visited.	IN
PC05	The parental control product must provide a detailed report of attempted access to blocked sites.	The GSS parental control software must produce a report of attempted access to blocked sites.	C	Requirement met.		OK
PC06	The parental control product must support adding a usage schedule.	The GSS parental control software must allow the user to set up internet usage schedules.	C	Requirement met.		OK
PC07	The parental control product must support locking internet access from defined users.	The GSS parental control software must allow the user to block defined users.	C	Requirement met.		OK
PC08	The parental control product must support the design of custom use policies.	The GSS parental control software must allow the user to customize policies.	C	Feature Not Supported.	The user has no control over the type of content that will be filtered out (sex, gambling, …).	NS
PC09	The parental control product must support the implementation of custom use policies.	The GSS parental control software must allow the user to implement custom use policies.	C	Feature Not Supported.	The user has no control over the type of content that will be filtered out (sex, gambling, …).	NS
PC10	"-----"	"-----"	-	Empty.		IN
PC11	The user must be able to disable the parental control product.	The GSS parental control software must allow the user to disable it.	C	Misleading requirement.	In the case where a password is set the user will only be able to disable the Parental Control if he enters the password.	IN
PC12	The user must be able to set a password for the parental control product.	The GSS parental control software must allow the user to set a password.	C	Misleading requirement.	The password in SecNet is set for all the tools not for the Parental Control in particular.	IN
PC13	The user must be able to change the password for the parental control product.	The GSS parental control software must allow the user to change the password.	C	Misleading requirement.	The password can be changed but it is set for all the tools not for the Parental Control in particular.	IN
PC14	The user must be able to add sites to the blocked list.	The GSS parental control software must allow the user to add sites to the blocked list.	C	Requirement met.		OK
PC15	The user must be able to remove sites from the blocked list.	The GSS parental control software must allow the user to remove sites from the blocked list.	C	Requirement met.		OK
PC16	The user must be able to add sites to the approved list.	The GSS parental control software must allow the user to add sites to the approved list.	C	Requirement met.		OK
PC17	The user must be able to remove sites from the approved list.	The GSS parental control software must allow the user to remove sites from the approved list.	C	Requirement met.		OK
PC18	The parental control product must support removing a usage schedule.	The GSS parental control software must allow the user to delete a usage schedule.	C	Requirement met.		OK
PC19	The parental control product must support the editing of a usage schedule.	The GSS parental control software must allow the user to edit a usage schedule.	C	Requirement met.		OK

Form Filler Requirements

FF01	The form filler product must encrypt user information for automatic population of online forms	The GSS form filler software must encrypt the user information it saves.	C	Requirement met.		OK
FF02	The form filler product must store encrypted user information for automatic population of online forms.	The GSS form filler software must store the encrypted user information.	C	Requirement met.		OK
FF03	The user must be able to disable the form filler product.	The GSS form filler software must allow the user to disable it.	C	Requirement met.		OK
FF04	The form filler product must support updates.	The GSS form filler software must allow the user to update it.	C	Requirement met.		OK

FF05	The form filler product must allow the user to fill out and save personal information.	The GSS form filler software must let the user save personal information.	C	Requirement met.			OK
FF06	The form filler must allow the user to save login information to online sites.	The GSS form filler software must allow the user to save login information to online sites.	C	Requirement met.			OK
Keyword Alert Requirements							
KA01	The keyword alert product should allow the user to add keywords.	The GSS keyword alert software must allow the user to save add keywords.	C	Requirement met.			OK
KA02	The keyword alert product should allow the user to delete keywords.	The GSS keyword alert software must allow the user to save delete keywords.	C	Requirement met.			OK
KA03	The keyword alert product should warn users when outgoing communication contains defined keywords.	The GSS keyword alert software must notify the user when outgoing communications contain defined keywords.	C	Misleading requirement.	The keyword alert only support certain protocols (HTTP, SMTP, IRC and NNTP). The keyword alert will not work for ICQ for example.		IN
Cookie Manager Requirements							
CM01	The cookie manager product must allow the user to schedule how frequently cookies are deleted.	The GSS cookie manager software must allow the user to schedule deletion of cookies.	C	Requirement met.			OK
CM02	The cookie manager product must allow the user to select which cookies are deleted.	The GSS cookie manager software must allow the user to define which cookies are deleted.	C	Requirement met.			OK
CM03	The cookie manager product must display a list of all cookies.	The GSS cookie manager software must display a list of all cookies on the user machine.	C	Misleading requirement.	The Cookie manager will only display and handle the cookies for Internet Explorer. Other cookies that may be on the machine are not handle trough the SecNet Cookie Manager.		IN
CM04	The cookie manager product must delete cookies from user defined domains on shutdown.	The GSS cookie manager software must delete defined cookies on shutdown.	C	Requirement met.			OK
CM05	The user must be able to define domains in the cookie manager product.	The GSS cookie manager software must allow the user to specify domains.	C	Requirement met.			OK
CM06	The user must be able to remove domains from the cookie manager product.	The GSS cookie manager software must allow the user to remove domains.	C	Requirement met.			OK
CM07	The user must be able to disable the cookie manager product.	The GSS cookie manager software must allow the user to disable it.	C	Not supported in version 4.2.x	This functionality is only present in SecNet 5.0		NS
Performance Requirements							
P001	The download of the GSS product must not degrade system performance.		C	Requirement met.			OK
P002	The installation of the GSS product must not degrade system performance.	The GSS software install must not have a negative impact on the user's machine.	C	Requirement met.		Not clear on measurement and scope	IN
P003	Running the GSS product must not degrade system performance.	The execution of GSS software must not have a negative impact on the user's machine.	C	Incomplete.	The installation of any software including a Firewall and Antivirus will impact system performance. A reasonable impact upon the system needs to be established in order to be able to verify this requirement.		IN
P004	"-----"	"-----"	-	Empty.			IN
P005	The GSS pop-up blocker product must improve page-loading speed once enabled.	The GSS pop-up blocker software must speed up page load times for sites with pop-ups once it has been enabled.	C	Incomplete.	The page-loading speed with the pop-up blocker will only increase in the case where the page contains pop-up ads. In this case the page-loading speed is improved.		IN
P006	Enabling the GSS anti-virus product must not degrade system performance.	Enabling the GSS anti-virus software download must not have a negative impact on the user's machine.	C	Incomplete.	The enabling of the real time scanning of any Antivirus will impact system performance. A reasonable impact upon the system needs to be established in order to be able to verify this requirement.		IN
P007	Performing a system scan with the GSS anti virus product must not degrade system performance.	Performing a scan with the GSS anti-virus software must not have a negative impact on the user's machines system performance.	C	Incomplete.	Running a system scan with any Anti Virus product will impact system performance. A reasonable impact upon the system needs to be established in order to be able to verify this requirement.		IN
P008	Enabling the GSS firewall product must not degrade system performance.	Enabling the GSS firewall software must not have a negative impact on the user's machines system performance.	C	Incomplete.	Running any Firewall product will impact system performance. A reasonable impact upon the system needs to be established in order to be able to verify this requirement.		IN
P009	Enabling the GSS parental control product must not degrade system performance.	Enabling the GSS parental control software must not have a negative impact on the user's machines system performance.	C	Incomplete.	Running the SecNet Parental Control will not impact system performance but will decrease the browsing speed a little due to the content analysis done on the page or the URL in case it's a known site.		IN
P010	Enabling the GSS pop-up blocker product must not degrade system performance.	Enabling the GSS pop-up blocker software must not have a negative impact on the user's machines system performance.	C	Requirement met.			OK
P011	Enabling the GSS ad blocker product must not degrade system performance.	Enabling the GSS ad blocker software must not have a negative impact on the user's machines system performance.	C	Requirement met.			OK
P012	Enabling the GSS pop-up blocker and ad blocker product must not degrade system performance.	Enabling the GSS pop-up and ad blocker software must not have a negative impact on the user's machines system performance.	C	Requirement met.			OK
P013	Enabling the GSS keyword alert product must not degrade system performance.	Enabling the GSS keyword alert software must not have a negative impact on the user's machines system performance.	C	Incomplete.	Running the SecNet Keyword Alert will not impact system performance but will decrease the browsing speed a little due to the content analysis done on HTTP, IRC, SMTP and NNTP connections to warn user about potential privacy concerns.		IN
P014	Enabling the GSS form filler product must not degrade system performance.	Enabling the GSS form filler software must not have a negative impact on the user's machines system performance.	C	Incomplete.	Running the SecNet Form Filler will not impact system performance but will decrease the browsing speed a little due to the content analysis done on HTML pages in order to detect forms.		IN
P015	Enabling the GSS anti-spyware product must not degrade system performance.	Enabling the GSS anti-spyware software must not have a negative impact on the user's machines system performance.	C	Not supported in version 4.2.x	The Anti Spyware tool is only present in SecNet for version 5 and above.		NS

P016	Enabling the GSS privacy manager product must not degrade system performance.	Enabling the GSS privacy manager software must not have a negative impact on the user's machines system performance.	C	Not supported in version 4.2.x	The Privacy Manager tool is only present in SecNet for version 5 and above.	NS
P017	Enabling the GSS cookie manager product must not degrade system performance.	Enabling the GSS cookie manager software must not have a negative impact on the user's machines system performance.	C	Requirement met.		OK